



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/006,855	12/05/2001	Tomoaki Itoh	5077-000076	8889

27572 7590 02/07/2006

HARNESSE, DICKEY & PIERCE, P.L.C.
P.O. BOX 828
BLOOMFIELD HILLS, MI 48303

EXAMINER

TIV, BACKHEAN

ART UNIT PAPER NUMBER

2151

DATE MAILED: 02/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/006,855	ITOH ET AL.	
	Examiner	Art Unit	
	Backhean Tiv	2151	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 November 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 3-9 and 11 is/are pending in the application.
- 4a) Of the above claim(s) 1, 2 and 10 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 3-9 and 11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>11/05</u> . | 6) <input type="checkbox"/> Other: _____ |

Detailed Action

Claims 3-9,11 are pending in this application. The applicant has cancelled claims 1,2,10. This is a response to the Amendment/Remarks filed on 11/23/05.

Priority

Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d).

Information Disclosure Statement

The IDS filed 11/23/05 have been considered. However, "Notice of Reasons of Rejection dated 8/13/04" was not considered since there is no English translation. Also RFC 2326, "Real Time Streaming Protocol", was not considered because the applicant has not submitted a copy of the Non-Patent Literature.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 3-9,11 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 5,784,527 issued to Ort in view of US Patent 6,003,084 issued to Green et al.(Green).

As per claim 3, 11, Ort teaches a data receiving terminal for receiving and reproducing data sent from a server(Abstract), comprising:

data receiving means for receiving data having time stamps indicating reproduction order(col.14, lines 56-col.15, lines 8);

decoding means for decoding data received by the data receiving means in the order of the time stamps, and outputting the time stamps of the decoded data(col.7, lines 1-48, col.14, lines 56-col.15, lines 8); memory for storing stamp stamp (col.2, lines 36-65,col.7, lines 1-46); display means for displaying the data decoded by the decoding means(col.7, lines 26-44); timestamp stored in memory(Abstract, col.14, lines 56-col.15, lines 8); memory management means for managing that the time stamp outputted by the decoding means replaces a time stamp corresponding to the connection address during connection in the memory(col.2, lines 36-65,col.7, lines 1-46).

Ort however does not explicitly teach a memory for storing at least connection; user input means for analyzing an external operation, and outputting at least a connection address; connection address detection means for detecting whether the connection address outputted by the user input means is stored in the memory; connection request creation means for creating a connection request requesting the server to send data, based on the connection address outputted from the user input means, the detection result from the connection address detection means, and the connection stored in the memory; and message sending/receiving means for sending the connection request created by the connection request creation means to the server,

and processing the response from the server; a memory for storing at least connection address.

Green teaches a memory for storing at least connection(Abstract,); user input means for analyzing an external operation, and outputting at least a connection address(Abstract, col.2, lines 49-67); connection address detection means for detecting whether the connection address outputted by the user input means is stored in the memory(Abstract, col.5, lines 15-67); connection request creation means for creating a connection request requesting the server to send data, based on the connection address outputted from the user input means, the detection result from the connection address detection means, and the connection stored in the memory(Abstract, col.5, lines 15-67); and message sending/receiving means for sending the connection request created by the connection request creation means to the server, and processing the response from the server(Abstract, col.5, lines 15-67); a memory for storing at least connection address(Abstract, col.5, lines 15-67).

Therefore it would have been obvious to one ordinary skill in the art at the time of the invention to modify the teachings of Ort of storing timestamps in memory and to stream data to connect a user to a server using an address and to store address in memory as taught by Green in order to connect a user to a server.

One ordinary skill in the art at the time of the invention would have been motivated to combine the teachings of Ort and Green in order to provide a system to transmit audio or video data from a server to a user.

As per claim 4, the data receiving terminal according to claim 3, wherein, if the connection address detection means has detected in the memory the connection address indicated by the user input means, the connection request creation means requests the sending of data from a data position indicated by the time stamp corresponding to this connection address(Green, Abstract, col.5, lines 15-67 and Ort, col.7, lines 1-48, col.14, lines 56-col.15, lines 8). Motivation to combine set forth in claim 3.

As per claim 5, the data receiving terminal according to claim 3, wherein the user input means further analyzes external operation and outputs a selection signal in response to a message; wherein, if the connection address detection means has detected in the memory the connection address indicated by the user input means, the connection request creation means displays a message with the display means asking to decide whether to request the sending of data from the time stamp with respect to that connection address, and creates a connection request to the server based on a selection signal with regard to the message outputted from the user input means(Green, Abstract, col.5, lines 15-67 and Ort, col.7, lines 1-48, col.14, lines 56-col.15, lines 8). Motivation to combine set forth in claim 3.

As per claim 6, the data receiving terminal according to claim 3, wherein the memory stores as a group at least an active flag indicating whether content is being received, the connection address(Green, Abstract), and the time stamp(Ort, Abstract); and wherein, when the time stamp is outputted by the decoding means, the memory management means detects, of the active flags stored in the memory(Ort, col.7, lines 1-

Art Unit: 2151

46), an active flag indicating that content is being received, and replaces the time stamp corresponding to this active flag indicating that content is being received(Ort, col.7, lines 1-46). Motivation to combine set forth in claim 3.

As per claim 7, the data receiving terminal according to claim 3, wherein the memory stores as a group at least a reproduction termination flag indicating content that has been reproduced to the end, the connection address, and the time stamp(Ort, Abstract, col.7, lines 1-44, col.2, lines 36-65); and wherein, if the reproduction termination flag with respect to a connection address in the memory outputted from the user input means indicates that reproduction has terminated, then the connection request creation means creates a connection request that requests sending of data from the beginning of that connection address(Green, Abstract, col.5, lines 15-67). Motivation to combine set forth in claim 3.

As per claim 8, the data receiving terminal according to claim 3, wherein every time that intra-coded data is decoded, the decoding means outputs a time stamp of those data to the memory management means(Ort, col.7, lines 1-44).

As per claim 9, the data receiving terminal according to claim 3, further comprising a receiving situation reporting means that operates when connected to the server, and that regularly sends receiving reports indicating that data have been received, and receives sending reports sent by the server and indicating that data have been sent(Ort, col.2, lines 35-65,col.4, lines 59-col.5, lines 67); wherein, if the receiving situation reporting means does not receive a sending report sent by the server within a

predetermined time, then it outputs a signal indicating that a region in which data cannot be received has been entered(Ort, col.2, lines 35-65,col.4, lines 59-col.5, lines 67).

Claims 3-9,11 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 5,784,527 issued to Ort in view of US Patent 6,356,541 issued to Muller et al. (Muller).

As per claim 3, 11, Ort teaches a data receiving terminal for receiving and reproducing data sent from a server(Abstract), comprising:

data receiving means for receiving data having time stamps indicating reproduction order(col.14, lines 56-col.15, lines 8);

decoding means for decoding data received by the data receiving means in the order of the time stamps, and outputting the time stamps of the decoded data(col.7, lines 1-48, col.14, lines 56-col.15, lines 8); memory for storing stamp stamp (col.2, lines 36-65,col.7, lines 1-46); display means for displaying the data decoded by the decoding means(col.7, lines 26-44); timestamp stored in memory(Abstract, col.14, lines 56-col.15, lines 8); memory management means for managing that the time stamp outputted by the decoding means replaces a time stamp corresponding to the connection address during connection in the memory(col.2, lines 36-65,col.7, lines 1-46).

Ort however does not explicitly teach a memory for storing at least connection; user input means for analyzing an external operation, and outputting at least a connection address; connection address detection means for detecting whether the connection address outputted by the user input means is stored in the memory;

connection request creation means for creating a connection request requesting the server to send data, based on the connection address outputted from the user input means, the detection result from the connection address detection means, and the connection stored in the memory; and message sending/receiving means for sending the connection request created by the connection request creation means to the server, and processing the response from the server; a memory for storing at least connection address.

Muller teaches a memory for storing at least connection(Abstract); user input means for analyzing an external operation, and outputting at least a connection address(Abstract, col.2, lines15-50); connection address detection means for detecting whether the connection address outputted by the user input means is stored in the memory(Abstract, col.2, lines15-50); connection request creation means for creating a connection request requesting the server to send data, based on the connection address outputted from the user input means, the detection result from the connection address detection means, and the connection stored in the memory(Abstract, col.2, lines15-50); and message sending/receiving means for sending the connection request created by the connection request creation means to the server, and processing the response from the server(Abstract, col.2, lines15-50); a memory for storing at least connection address(Abstract, col.2, lines15-50).

Therefore it would have been obvious to one ordinary skill in the art at the time of the invention to modify the teachings of Ort of storing timestamps in memory and to

Art Unit: 2151

stream data to connect a user to a server using an address and to store address in memory as taught by Muller in order to connect a user to a server.

One ordinary skill in the art at the time of the invention would have been motivated to combine the teachings of Ort and Muller in order to provide a system to transmit audio or video data from a server to a user.

As per claim 4, the data receiving terminal according to claim 3, wherein, if the connection address detection means has detected in the memory the connection address indicated by the user input means, the connection request creation means requests the sending of data from a data position indicated by the time stamp corresponding to this connection address(Ort, col.7, lines 1-48, col.14, lines 56-col.15, lines 8, and Muller, col.2, lines 15-50). Motivation to combine set forth in claim 3.

As per claim 5, the data receiving terminal according to claim 3, wherein the user input means further analyzes external operation and outputs a selection signal in response to a message; wherein, if the connection address detection means has detected in the memory the connection address indicated by the user input means, the connection request creation means displays a message with the display means asking to decide whether to request the sending of data from the time stamp with respect to that connection address, and creates a connection request to the server based on a selection signal with regard to the message outputted from the user input means(Muller, col.2, lines 15-50and Ort, col.7, lines 1-48, col.14, lines 56-col.15, lines 8). Motivation to combine set forth in claim 3.

As per claim 6, the data receiving terminal according to claim 3, wherein the memory stores as a group at least an active flag indicating whether content is being received, the connection address(Muller, Abstract), and the time stamp(Ort, Abstract); and wherein, when the time stamp is outputted by the decoding means, the memory management means detects, of the active flags stored in the memory(Ort, col.7, lines 1-46), an active flag indicating that content is being received, and replaces the time stamp corresponding to this active flag indicating that content is being received(Ort, col.7, lines 1-46). Motivation to combine set forth in claim 3.

As per claim 7, the data receiving terminal according to claim 3, wherein the memory stores as a group at least a reproduction termination flag indicating content that has been reproduced to the end, the connection address, and the time stamp(Ort, Abstract, col.7, lines 1-44, col.2, lines 36-65); and wherein, if the reproduction termination flag with respect to a connection address in the memory outputted from the user input means indicates that reproduction has terminated, then the connection request creation means creates a connection request that requests sending of data from the beginning of that connection address(Muller, col.2, lines 15-50). Motivation to combine set forth in claim 3.

As per claim 8, the data receiving terminal according to claim 3, wherein every time that intra-coded data is decoded, the decoding means outputs a time stamp of those data to the memory management means(Ort, col.7, lines 1-44).

As per claim 9, the data receiving terminal according to claim 3, further comprising a receiving situation reporting means that operates when connected to the

server, and that regularly sends receiving reports indicating that data have been received, and receives sending reports sent by the server and indicating that data have been sent(Ort, col.2, lines 35-65,col.4, lines 59-col.5, lines 67); wherein, if the receiving situation reporting means does not receive a sending report sent by the server within a predetermined time, then it outputs a signal indicating that a region in which data cannot be received has been entered(Ort, col.2, lines 35-65,col.4, lines 59-col.5, lines 67).

Response to Arguments

Applicant's arguments filed 11/23/05 have been fully considered but they are not persuasive. The applicant argues in substance:

a) Ort does not teach request or receive from a server a reproduction from an intermediate portion of a data stream.

In reply to a);In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., request or receive from a server a reproduction from an intermediate portion of a data stream) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). Ort does teach,col.7, lines 20-25 col.14, line 56- col.15, line 8, the playback of MPEG files based on time stamps.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Backhean Tiv whose telephone number is (571)272-3941. The examiner can normally be reached on 9 A.M.-12 P.M. and 1 -6 P.M. Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Zarni Maung can be reached on (571) 272-3939. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2151

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Backhean Tiv
2151
2/1/06



ZARNI MAUNG

SUPERVISORY PATENT EXAMINER